

FIRE RISK ASSESSMENT

PROPERTY ASSESSED: Andrews Drive Langley Mill Langley Mill

NG16 4GG




UPRN: FB141 Inspection Date: 08/08/2022 Validation Date: 25/08/2022 Valid to: 25/08/2023 FRA completed by: Pennington Choices FRA Completed For: Futures



Executive Summary







Premises Risk Rating: Moderate

Reassessment Priority: High - 1 Year

Recommended evacuation strategy for this building is: Stay Put

On satisfactory completion of all remedial works the risk rating of this building may be reduced to:: Tolerable

FRA - Summary

Responsible Person	CEO Futures
Property Designation	General needs
Management Extent	
No of Floors	2
No of Flats (if applicable)	4
Ground floor Area (m2)	120
Total Area of all floors (m2)	240

FRA Completed By:	Gary Broadhurst
FRA Type:	Туре 1
QA Validation Date:	25/08/2022
QA Carried Out By:	Will Ward
Validator's Signature: Www	



- 1	-	21	15	


Ref.	f. Category		Priority	Complete B
21	Arson		High	24/Sep/2022
Finding/Observation Action/Recommendatio			on	
The entrance door was faulty and not secure or working at the time of the site visit, although it does include provision of a thumb turn to release button		The door requires attenti security and works as it :	es attention to ensure it provides adequate ks as it should	
o tu	Irn to release button			

Ref.	Category		Priority	Complete By
G2	House-Keeping		High	24/Sep/2022
Finding/	Observation	Action/Recommendatio	n	·
	non area escape routes including the stairs were items other than items stored in the gas boiler room	Management to ensure combustible items noted are removed from the common area/means of escape and the area kept clear		

Image: G21

Image: G22





Ref.	Ref. Category		Priority	Complete By
M1	M1 Common Area Fire Doors		High	24/Sep/2022
Finding/Observation		Action/Recommendation		
head of th	common area doors are the doors each side at the ne stairs which are not compliant with only 2 hinges, e gas boilers or meters and are used for storage by ents		doors noted should be replace 30S. ensure all work is carried ompany.	

Image: M11





Category		Priority	Complete By
Measures To Limit Fire Spread And Development		High	24/Sep/2022
J/Observation	Action/Recommendation	n	
ess to the roof space is provided .	Management to check compartmentation within the roof space over the common area		oof space
	-		
	Measures To Limit Fire Spread And Development	Measures To Limit Fire Spread And Development g/Observation Action/Recommendation ess to the roof space is provided . Management to check commendation	Measures To Limit Fire Spread And Development High J/Observation Action/Recommendation ess to the roof space is provided . Management to check compartmentation within the rest



Medium

Ref.	Category		Priority	Complete By
H1	Hazards Introduced By Contractors		Medium	23/Nov/2022
Finding/	Observation	Action/Recommendation	on	
control o	e was not available to confirm there is satisfactory over works carried out in the building by contractors work permits).	Action/Recommendation A documented procedure is recommended for ensuring all contractors are controlled on site and only operate within approved industry standards. This should include a permit to work and a hot work permit procedure where appropriate. All contractors should be advised of the emergency procedures and hazardous areas.		thin ermit to iate. All

Ref.	Category		Priority	Complete By
01	Fire Safety Signs & Notices		Medium	23/Nov/2022
Finding	/Observation	Action/Recommendatio	n	
Signage was considered adequate and included, fire door keep locked shut, no smoking and fire action notices although the fire action notices are not clear and require revising. see B1			nould be revised taking into a n system in the common area itial stay put	

Image: O11



Ref.	Category		Priority	Complete By
P1	Means Of Giving Warning In Case Of Fire		Medium	23/Nov/2022
Finding	/Observation	Action/Recommendation		
detector 'general it is unn provideo inevitab impose	Iding is fitted with a domestic hard wired multi sensor r in the common areas at the head of the stairs. In I needs' blocks designed to support a 'stay put' policy, ecessary and undesirable for a fire alarm system to be d. A communal fire detection and alarm system will ly lead to a proliferation of false alarms. This will a burden on fire and rescue services and lead to is ignoring warnings of genuine fires.	0	the rationale of the presence with a view to remove if not	



Medium	
Image: P11	

Ref.	Category		Priority	Complete By
P7	Means Of Giving Warning In Case Of Fire		Medium	23/Nov/2022
Finding/	Observation	on Action/Recommendation		
No flats v	were accessed	Action/Recommendation A category LD3 system should be considered the minimum in all circumstances". However, BS 5839-6:2019 states that "here detectors should be installed in every kitchen. A smoke detector should be installed in the principal habitable room. Where more than one room might be used as the principal habitable room, a smoke detector should be installed in each of these rooms". It is recommended that each flat is checked confirm that BS5839-6:2019 Grade D, LD2 detection is fitted.		that "heat ke room. ncipal in each checked to

Ref.	Category		Priority	Complete By
Q5	5 Measures To Limit Fire Spread And Development		Medium	23/Nov/2022
Finding/Observation		Action/Recommendation		
The electric meter box at the main entrance is damaged		The meter box should be	repaired	

Image: Q51



Ref.	Category	Priority	Complete By
Q6	Measures To Limit Fire Spread And Development	Medium	23/Nov/2022



Medium

	Finding/Observation	Action/Recommendation
	No evidence is kept for inspection on site.	Management should confirm that where and if required fire dampers are provided as required
- [

Ref.	Category		Priority	Complete By
T1	Procedures And Arrangements		Medium	23/Nov/2022
Finding/Observation		Action/Recommendation		
As per P1.		Management to investigate the rationale of detection within the common area.		within the

Low

-			1	
Ref.	Category		Priority	Complete By
Y1	Engagement With Residents		Low	21/Feb/2023
Finding/Observation		Action/Recommendation		
Unknown.		Ensure residents are informed of all relevant fire safety matters using different formats including letters, posters, social media etc		,



No Timescale

Ref.	Category	Category		Complete By
F1	Lightning		No Timescale	
Finding/Observation		Action/Recommenda	Action/Recommendation	
No lightning protection system was seen on site.		5	Recommend management undertake a risk assessment of the building to determine if lightning protection is required	

Ref.	Category		Priority	Complete By
Т6	6 Procedures And Arrangements		No Timescale	
Finding/Observation		Action/Recommendation		
Unable to confirm at the time of the assessment although the flats are located on the first floor		Person Centered Fire Risk Assessments should be carried out on all tenants in general needs property, when required, and should be reviewed on an annual basis.		



Reassessment Priority	High - 1 Year
Responsible Person	CEO Futures
BAFE Cert	CHES077

General Information

UPRN	FB141
Address	Andrews Drive Langley Mill Langley Mill
Postcode	NG16 4GG
Fire Risk Assessor	Gary Broadhurst
Date of Inspection	08/08/2022
Checked by	Will Ward
Reassessment Date	08/08/2023

General Information

Property Designation	General needs
Property Type	Purpose built block of flats
No of Floors	2
No of Flats (if applicable)	4
Ground floor area (m2)	120
Total area of all floors	240

Building Description	 18-24 Andrews drive. The purpose built 2 storey block of flats was constructed about 50 years ago, is detached and stands back from the road with parking areas at the front of the property on the street The property has one exit door which is the main entrance door, and is provided with overhead self-closing device, electronic entry system and thumb turn release inside On inspection the entrance door was faulty and did not close fully which requires attention Two flats are provided at the head of the stairs (20 &24) and two flats provided on the ground floor have no shared escape route All flats are provided with new FDS30S certificated fire doors which were all in good condition The windows on the stairs can be opened to provide fresh air and ventilation
	Waste bins are stored outside at the side of the property The escape routes including the stairs were clear of obstruction and in good condition The property is provided with a single standalone multi sensor detector at the head of the stairs which appears compliant with BS 5839 part 6, however the reason for providing the fire alarm in the common areas is unknown as the building supports an initial stay put policy which should be further supported by information provided on the fire action notices A fire system control switch is provided at the main entrance although it is not clear who is intended to use it and when There is no provision of firefighting equipment, and signage included, general fire action notices, and no smoking signs however the fire action notices give conflicting information and should be reviewed No access was provided into any of the flats Overall, the property appeared well kept, and clean and tidy although the gas boiler room at the head of the stairs was full of clutter which should be removed
Building Construction	Traditional brick with pitched and tiled roof
Extent of common areas	stairs and landings
Areas of the building to which access was not available	flats and roof space
If applicable state which flats were sample inspected	none



1. The Occupants

Ref.	Question	Policy Principles
10	Management Extent	
Answer		Finding/Observation
Partially Managed Building - Manager or Senior Staff not onsite regularly		
Ref.	Question	Policy Principles
11	Details of any onsite management (hours onsite etc.)	
Answer		Finding/Observation
Unknow	٦.	
Ref.	Question	Policy Principles
12	Person managing fire safety in premises	
Answer		Finding/Observation
Shared responsibilities between Future and residents when occupied.		
Ref.	Question	Policy Principles
13	Person consulted during the fire risk assessment	
Answer		Finding/Observation
Ben Woo	od	
Ref.	Question	Policy Principles
14	Number of occupants (maximum estimated)	
Answer		Finding/Observation
8		
Ref.	Question	Policy Principles
15	Approximate maximum number of employees at any one time	
Answer		Finding/Observation
1		
Ref.	Question	Policy Principles
16	Number of members of the public (maximum estimated)	
Answer		Finding/Observation
4		



Ref.	Question	Policy Principles
17	Identify any people who are especially at risk: - sleeping occupants - disabled occupants - occupants in remote areas and lone workers - young persons - others	
Answe	r	Finding/Observation
This is a "general needs" block of flats that will have sleeping occupants. It is conceivable that there may be young persons, the elderly and children within the flats as part of families who reside there. There may also be occupants with varying degrees of physical/mental impairment. In addition, lone workers may be present within common parts of the premises.		



2. Fire Safety Legislation

Ref.	Question	Policy Principles			
21	The following fire safety legislation applies to these premises				
Answer		Finding/Observation			
Regulate	ory Reform (Fire Safety) Order 2005				
Ref.	Question	Policy Principles			
22	The above legislation is enforced by				
Answer	ire Fire and Rescue Service	Finding/Observation			
Derbysn					
Ref.	Question	Policy Principles			
23	Other key fire safety legislation (other than Building Regs 2000)				
Answer		Finding/Observation			
Housing	Act 2004				
Ref.	Question	Policy Principles			
24	The other legislation referred to above is enforced by				
Answer		Finding/Observation			
Derby ci	ty Council				
Ref.	Question	Policy Principles			
25	Guidance used as applicable to premises and occupation				
Answer		Finding/Observation			
Home O Blocks	ffice (September 2021) Fire Safety in Purpose Built				
Ref.	Question	Policy Principles			
26	Is there an alteration or enforcement notice in force?				
Answer		Finding/Observation			
No					
Ref.	Question	Policy Principles			
27	Fire loss experience (since last FRA)				
Answer	1	Finding/Observation			
No					



A. Electrical Ignition Sources

Ref.	Question	Policy Principles		
A1	Is the fixed electrical installation periodically inspected and tested, (include dates if known)?	FHG complete Fixed wire testing in line with current regulations every 5 years and complete an annual visual inspection on all properties.		
Answe	r	Finding/Observation		
Yes		See principle.		
Ref.	Question	Policy Principles		
A2	Is PAT testing in common areas carried out?	PAT testing is complete at the time of the visual inspection as mentioned above. All items in the communal areas will be tested.		
Answe	r	Finding/Observation		
N/A		There are no portable electrical items in the common areas.		
Ref.	Question	Policy Principles		
A3	Is there a policy for personal electrical appliances (consider restrictions of communal supply points such as outlets and T pin outlets)?	All personal items are not to be left in communal areas. Mobility Scooter Policy		
Answe	r	Finding/Observation		
Yes		See principle.		
Ref.	Question	Policy Principles		
A4	Is the use of adapters and leads limited?			
Answe	r	Finding/Observation		
N/A				
Ref.	Question	Policy Principles		
A5	Are they any PV cells installed and do they have the appropriate isolation systems and signage to assist the fire and rescue service?			
Answe	r	Finding/Observation		
No				



B. Smoking Policies

Ref. Question		Policy Principles		
B1 Are there suitable arrangements to prevent fire as a result from smoking?		No smoking policy in all communal areas- signage displayed.		
Answer		Finding/Observation		
Yes		No smoking signs displayed on signs and No signs of smoking were seen inside the property at the time of the assessment.		

Image: B11



Ref.	Question	Policy Principles	
B2	Is the policy being adhered to and are "No smoking" signs provided in the common areas?		
Answer		Finding/Observation	
No		See B1	



C. Arson

		Policy Principles			
C1	Are premises secure against arson by outsiders? (Please state how)				
Answer		Finding/Observation	Finding/Observation		
Yes		time of the site visit,	The entrance door was faulty and not secure or working at the time of the site visit, although it does include provision of a thumb turn to release button		

Action/Recommendation	Flority	Due Date
The door requires attention to ensure it provides adequate security and works as	High	24/Sep/2022
it should		

Ref. Question		Policy Principles		
C2 Are bins secured or fire loading stored in a suitable location? (Please state bin type, location, if and how it is secured)				
Answer		Finding/Observation		
Yes		Waste and recycling are stored outside at the side of the building		
Images				

Image: C21



D. Portable Heaters And Heating Installations

Ref.	Question	Policy Principles		
D1	If used, is the use of portable heaters regarded as safe?			
Answer		Finding/Observation		
N/A				
Ref.	Question	Policy Principles		
D2 Are fixed heating systems maintained annually?		All Safety inspections carried out annually by qualified persons.		
Answer		Finding/Observation		
N/A		No heating is provided in the common areas.		



E. Cooking

Ref.	Question	Policy Principles	
E1 Are reasonable measures in place to prevent fires as a result of cooking, including replacing filter(where necessary)?			
Answer		Finding/Observation	
N/A		No cooking facilities within the communal areas.	

F. Lightning

Ref. Question		Policy Principles			
F1 Does the building have a lightning protection system?		No lightning protection policy in place			
Answer		Finding/Observation			
No		No lightning protection system was seen on site.			



G. House-Keeping

Ref.	Question	Policy Principles			
G1	Are combustible materials kept away from any sources of ignition, including gas and electrical intake cupboards?				
Answer		Finding/Observatio	n		
Yes					
Ref.	Question	Policy Principles			
G2	Are the escape routes kept clear of items combustible materials or waste and free of any trip hazards?				
Answer	Answer		Finding/Observation		
Yes		All common area escape routes including the stairs were clear of items other than items stored in the gas boiler room			
Action/	Recommendation		Priority	Due Date	
Management to ensure combustible items noted are removed from the c area/means of escape and the area kept clear		common	High	24/Sep/2022	
Images	Images				
	Image: G21 Image: G22				





Ref.	Question	Policy Principles
G3	Are mobility scooters or electric vehicles stored in the means of escape? If yes has an assessment been undertaken in line with the NFCC "Mobility Scooter Guidance for Residential Buildings"?	
Answe	r	Finding/Observation
No		



H. Hazards Introduced By Contractors

Ref.	Question	Policy Principles	
H1	Is there satisfactory control over works carried out in the building by contractors (e.g. hot work permits)?		
Answer		Finding/Observation	
Unknown		Evidence was not available to confirm there is satisfactory control over works carried out in the building by contractors (e.g. hot work permits).	
Action/I	Recommendation	Priority	Due Date
controlle should i appropr	mented procedure is recommended for ensuring all contractors a ed on site and only operate within approved industry standards. include a permit to work and a hot work permit procedure where iate. All contractors should be advised of the emergency procedure ous areas.	This	23/Nov/2022

I. Dangerous Substances

Ref.	Question	Policy Principles
11	If dangerous substances are used, has a risk assessment been carried out as required by the Dangerous Substances and Explosives Atmospheres Regulations 2002 and are they stored correctly?	All contractors must submit RAMS for procurement processes, and these are reviewed annually by FHG. A specific risk assessment is to be completed for each job.
Answe	er en	Finding/Observation
N/A		See principle.

J. Other Significant Hazards

Ref.	Question	Policy Principles
J1	Are all issues deemed satisfactory? [1]	
Answer		Finding/Observation
Yes		
Ref.	Question	Policy Principles
J2	Are all issues deemed satisfactory?	
Answer		Finding/Observation
Yes		



K. Means Of Escape

Ref.	Question	Policy Principles	
K1	Is the escape route design deemed satisfactory? (Consider current design codes)		
Answer		Finding/Observation	
Yes			
Ref.	Question	Policy Principles	
K2	Is the fire-resisting construction (including any glazing) protecting escape routes and staircases of a suitable standard and maintained in sound condition?		
Answer		Finding/Observation	
Yes		All fire doors were solid and certificated as required	
Ref.	Question	Policy Principles	
K3	Is there adequate provision of exits (including exit Widths) for the numbers who may be present?		
Answer		Finding/Observation	
Yes			
Ref.	Question	Policy Principles	
K4	Are doors on escape routes easily opened? (and are sliding or revolving doors avoided?)		
Answer		Finding/Observation	
Yes		The main entrance door is provided with thumb turn device which worked as it should although the door was faulty as described in C1	
Ref.	Question	Policy Principles	
K5	Do final exits open in the direction of escape where necessary?		
Answer	•	Finding/Observation	
Yes			
Ref.	Question	Policy Principles	
K6	Are travels distances satisfactory? (consider single direction and more than one direction, property risk profile and occupancy characteristics)		
Answer		Finding/Observation	
Yes			
Ref.	Question	Policy Principles	
K7	Are there suitable precautions for all inner rooms?		
Answer		Finding/Observation	
N/A			



Ref.	Question	Policy Principles	
K8	Are escape routes separated where appropriate?		
Answer		Finding/Observation	
N/A			
Ref.	Question	Policy Principles	
К9	Are corridors sub-divided where appropriate?		
Answer		Finding/Observation	
N/A			
Ref.	Question	Policy Principles	
K10	Do escape routes lead to a place of safety?		
Answer		Finding/Observation	
Yes		All escape routes lead to stairs and the final exit door.	
Ref.	Question	Policy Principles	
К11	Are the stairs and/or lobbies provided with adequate ventilation? (If considered satisfactory, please state provision)		
Answer		Finding/Observation	
Yes		The stairs are provided with opening windows.	
Images			
	Image: K111		



Ref.	Question	Policy Principles
K12	Is there any other issues that could affect the means of escape, for example plastic conduit/loose cables not secured by fire rated fastening?	
Answer		Finding/Observation
No		



L. Flat Entrance Doors

Ref.	Question	Policy Principles		
L1 Are the sample inspection flat entrance door or doors in good condition and appropriately fire rated?				
Answe	r	Finding/Observation		
Yes		The flat entrance doors all appeared in good solid condition and newly installed they all have certification in place		
Images	5			
	Image: L11			



M. Common Area Fire Doors

Ref.	Question	Policy Principles		
M1	Are all common area fire door and frames in good condition and appropriately fire rated?			
Answ	er	Finding/Observation	on	
head and		head of the stairs w	The only common area doors are the doors each side at the head of the stairs which are not compliant with only 2 hinges, and house gas boilers or meters and are used for storage by the residents	
Actio	n/Recommendation		Priority	Due Date
As discussed on site the doors noted should be replaced with doors compliant with FD30S. ensure all work is carried out by a third party accredited company.			High	24/Sep/2022
Image	95			
C	Image: M11			



N. Emergency Lighting

Ref.	Question	Policy Principles
N1	If emergency lighting is provided, is the coverage sufficient and in good repair? (Internal and external)	
Answe	r	Finding/Observation
Yes		The escape lights cover all escape routes including at the main entrance door

Image: N11



Ref.	Question	Policy Principles
N2	If EL not provided, is borrowed/artificial lighting sufficient for escape? (Internal and external)	
Answer		Finding/Observation
N/A		



O. Fire Safety Signs & Notices

Ref.	Question	Policy Principles		
01	Is there adequate provision of visible fire safety signs and notices? (Consider directional, exits, stairs, fire action notices, Fire door keep shut, fire equipment and 'do not use lift' signage)			
Answe	er en	Finding/Observatio	n	
locked shut, no sn			king and fire actior	d included, fire door keep n notices although the fire e revising. see B1
Action	/Recommendation	·	Priority	Due Date
The fire action notices should be revised taking into account the provision of an alarm system in the common area and an evacuation strategy of initial stay put			Medium	23/Nov/2022

Images

Image: O11



Ref.	Question	Policy Principles
02	Wayfinding Signage (buildings over 11 metres in height). Are there clear markings for flat and floor recognition provided?	
Answer		Finding/Observation
N/A		



P. Means Of Giving Warning In Case Of Fire

Ref.	Question	Policy Principles		
P1	Is a reasonable fire detection and fire alarm system provided in the common areas, where necessary?			
Answer		Finding/Observation	n	
Unknown		is unnecessary and provided. A commun	non areas at the hea ks designed to suppor undesirable for a fire hal fire detection and proliferation of false a rescue services and	d of the stairs. In ort a 'stay put' policy, it alarm system to be alarm system will larms. This will impose
Action	Recommendation	·	Priority	Due Date
Management to confirm the reliance of the processor of AFD within the common		the common	Modium	23/Nov/2022

Management to confirm the rationale of the presence of AFD within the common	Medium	23/Nov/2022
parts with a view to remove if not required or considered necessary.		
		· · · · · · · · · · · · · · · · · · ·

Images

Image: P11



Ref.	Question	Policy Principles
P2	If installed, is the common area AFD adequate for the occupancy and fire risk?	
Answe	er in the second se	Finding/Observation
Unkno	wn	See P1
Ref.	Question	Policy Principles
P3	If not installed, are the premises deemed safe without a common area AFD system?	
Answe	r	Finding/Observation
N/A		
Ref.	Question	Policy Principles
P4	If there is a communal fire detection and fire alarm system, does it extend into the dwellings?	
Answe	er en	Finding/Observation
No		



Ref.	Question	Policy Principles
P5	Where appropriate, has a fire alarm zone plan been provided?	
Answer		Finding/Observation
N/A		
Ref.	Question	Policy Principles
P6	Where appropriate, are there adequate arrangements for silencing and resetting an alarm condition?	
Answe	r	Finding/Observation
Unknown		The alarm button at the main entrance has three functions 1. locate. 2. test and 3. silence however the reason for provision of this device and it is not clear who would use it. See P1

Images

Image: P61



Ref.	Question	Policy Princip	es	
P7	If applicable, is a separate domestic hard-wired smoke/heat alarm within the flats installed to a suitable standard?			
Answer		Finding/Obser	vation	
Unknown		No flats were a	No flats were accessed	
Action/Recommendation		I	Priority	Due Date
A category LD3 system should be considered the minimum in all circumstances". However, BS 5839-6:2019 states that "heat detectors should be installed in every kitchen. A smoke detector should be installed in the principal habitable room. Where more than one room might be used as the principal habitable room, a smoke detector should be installed in each of these rooms". It is recommended that each flat is checked to confirm that BS5839-6:2019 Grade D, LD2 detection is fitted.		Medium	23/Nov/2022	

Ref.	Question	Policy Principles
P8	If applicable (Sheltered scheme) is the smoke detection within the flats monitored by an alarm receiving centre/on site scheme manager via a telecare system?	
Answe	r	Finding/Observation
N/A		



Q. Measures To Limit Fire Spread And Development

Ref.	Question	Policy Principles		
Q1	Is there adequate levels of compartmentation between floors and between flats and the common escape routes?			
Answer		Finding/Observatio	n	
Yes				
Ref.	Question	Policy Principles		
Q2	Are hidden voids appropriately enclosed and/or fire-stopped? (consider above suspended ceilings)			
Answer		Finding/Observatio	n	
N/A				
Ref.	Question	Policy Principles		
Q3	Is there adequately fire protected service risers and/or ducts in common areas, that will restrict the spread of fire and smoke?			
Answer		Finding/Observatio	n	
N/A				
Ref.	Question	Policy Principles		
Q4	Is compartmentation maintained in the roof space?			
Answer		Finding/Observation		
Unknow	'n	No access to the roof space is provided .		
Action/Recommendation		1	Priority	Due Date
Management to check compartmentation within the roof space over the area		common	High	24/Sep/2022
Ref.	Ref. Question Po		Policy Principles	
Q5	Are electrics, including embedded meters, enclosed in fire rated construction?			
Answer		Finding/Observation		

No	The electric meter bo	ox at the main entrance is da	amaged
Action/Recommendation		Priority	Due Date
The meter box should be repaired		Medium	23/Nov/2022

Images

Image: Q51





	Ref.	Question	Policy Principles		
	Q6	As far as can reasonably be ascertained, are fire dampers provided as necessary to protect critical means of escape against passage of fire, smoke and products of combustion in the early stages of a fire?			
	Answer		Finding/Observation		
Unknown		No evidence is kept for inspection on site.			
Action/Recommendation			Priority	Due Date	
	Management should confirm that where and if required fire dampers are as required		provided	Medium	23/Nov/2022
Def. Ourstier		Deliev Principles			

Ref.	Question	Policy Principles
Q7 Is there reasonable limitation of linings to escape routes that might promote fire spread?		
Answei	r	Finding/Observation
Yes		Walls and surface finishing's appeared to comply with class "0" materials.
Ref.	Question	Policy Principles
Q8 Are soft furnishings in common areas appropriate to limit fire spread/growth?		
Answei	r	Finding/Observation
N/A		
Ref.	Question	Policy Principles
Q9 Does the premises have any external balconies, cladding or materials which may promote external fire spread?		
Answei	r	Finding/Observation
No		
Ref.	Question	Policy Principles
Q10	Has a note been prepared of the external walls of the building and details of construction materials used? Does the note include and identify the level of risk that the design and materials used?	
Answei	r	Finding/Observation
N/A		
Def	Question	Dellas Deineinte

Ref.	Question	Policy Principles
Q11	Does the External wall note include any mitigating circumstances that may have been taken to reduce the risk?	
Answer		Finding/Observation
N/A		



Ref.	Question	Policy Principles
Q12	Has the responsible person reviewed the external wall note on a regular basis and revised it if there have been any significant changes in the external walls.	
Answer		Finding/Observation
N/A		
Ref.	Question	Policy Principles
Q13	Are all other fire spread/compartmentation issues satisfactory?	
Answer		Finding/Observation
Yes		

R. Fire Extinguishing Appliances

No

Ref.	Question	Policy Principles
R1	if required, is there reasonable provision of accessible portable fire extinguishers?	
Answe	r	Finding/Observation
N/A		Typically fire extinguishers are not provided within this type of property as residents are unlikely to have been appropriately trained.

S. Relevant Automatic Fire Extinguishing Systems

Ref.	Question	Policy Principles
S1	Are there any automatic fire suppressant systems on site?	
Answe	r	Finding/Observation
No		
Ref.	Question	Policy Principles
S2	Are there any fixed fire fighting mains within the premises?	
Answe	r	Finding/Observation
No		
Ref.	Question	Policy Principles
S3	If any other relevant systems / equipment is installed, state type of system and comment as necessary	
Answe	r	Finding/Observation



T. Procedures And Arrangements

Ref.	Question	Policy Principles		
T1	Recommended evacuation strategy for this building is			
Answer		Finding/Observation		
Stay Put		As per P1.		
Action/Recommendation			Priority	Due Date
Management to investigate the rationale of detection within the common area.		area.	Medium	23/Nov/2022

Ref.	Question	Policy Principles
T2	Has a competent person(s) been appointed to assist in undertaking the preventative and protective measures including in house checks?	
Answe	r	Finding/Observation
Yes		The visiting officer was aware of all fire safety provisions and requirements for the site, and carries out regular inspections.

Ref.	Question	Policy Principles
ТЗ	Are there appropriate documented fire safety arrangements and procedures in place in the event of fire?	
Answer		Finding/Observation
No		See O1

Ref.	Question	Policy Principles
Т4	Are there suitable arrangements for liasion and calling the Fire Service?	
Answe	r	Finding/Observation
Yes		Staff, contractors, residents or visitors when the building is occupied will call 999.
Ref.	Question	Policy Principles
Т5	Are there suitable fire assembly points away from any risk?	
Answe	r	Finding/Observation

Yes	The fire assembly point is outside and is clear of the building.

Ref.	Question	Policy Principles
Т6	Are there adequate procedures in place for the evacuation of disabled people who are likely to be present?	
Answer		Finding/Observation
Unknow	n	Unable to confirm at the time of the assessment although the flats are located on the first floor



Ref.	Question	Policy Principles
Τ7	Are staff nominated and trained on the use of fire extinguishing appliances?	
Answer		Finding/Observation
N/A		No staff on site.
Ref.	Question	Policy Principles
Т8	Are staff nominated and trained to assist in evacuation (Where applicable e.g. Offices, supported schemes)?	
Answer		Finding/Observation
N/A		No staff on site.

U. Training

Ref.	Question	Policy Principles
U1	Do staff receive adequate induction and annual refresher fire safety training? (To include fire risks in the premises, fire safety measures in the building, action in the event of fire and on hearing alarm, location and use of fire extinguishers, calling the fire service)	All touchdown points (small offices) staff receive Inductions and annual refreshers on fire safety fire safety. But at all the schemes no permanent staff are present.
Answer		Finding/Observation
N/A		No staff on site.
Ref.	Question	Policy Principles
U2	Are employees nominated to assist in the event of fire given additional training?	
Answer		Finding/Observation
N/A		No staff on site.

V. Testing And Maintenance

Ref.	Question	Policy Principles
V1	Are all fire safety provisions for the building (AFD, Emergency Lighting, sprinklers etc.) routinely tested and maintained?	Alarms- FHG Greenscapes, MITIE E/L- FHG Greenscapes, MITIE, Assets Surveyor Extinguishers- MITIE Fire Doors- FHG Greenscapes, Assets Surveyor Final Exits/ Escape Routes- Greenscapes/ Neighbourhoods
Answe	r	Finding/Observation
Yes		All fire safety provisions require testing in accordance with the relevant guides or standards



W. Records

Ref.	Question	Policy Principles
W1	Is all routine testing and staff training including fire drills suitably recorded and available for inspection?	
Answer		Finding/Observation
Yes		Records are available to view on line

X. Premises Information Box

Ref.	Question	Policy Principles
X1	Is a Premises Information Box located at the premises accessible to the Fire and Rescue Service, secure from unauthorised access and kept up to date?	Log book is kept on SharePoint with proposed specific QR code access.
Answer		Finding/Observation
N/A		Not required.

Y. Engagement With Residents

Ref.	Question	Policy Principles			
Y1	Has all Fire Safety information & procedures been disseminated to the residents?				
Answer		Finding/Observation			
Unknown		Unknown.			
Action/Recommendation		1	Priority	Due Date	
Ensure residents are informed of all relevant fire safety matters using different formats including letters, posters, social media etc		ferent	Low	21/Feb/2023	

Z. Any Other Information

Ref.	Question	Policy Principles
Z1	Are all issues deemed satisfactory? [1]	
Answer		Finding/Observation
Yes		
Ref.	Question	Policy Principles
Z2	Are all issues deemed satisfactory?	
Answer		Finding/Observation
Yes		



ZAAR. Assessment Risk Ratings

Ref.	Question	Policy Principles
ZAAR1	Likelihood of Fire Low: Unusually low likelihood of fire as a result of negligible potential sources of ignition. Medium: Normal fire hazards (e.g. potential ignition sources) for this type of occupancy, with fire hazards generally subject to appropriate controls (other than minor shortcomings). High: Lack of adequate controls applied to one or more significant fire hazards, such as to result in significant increase in likelihood of fire	
Answer		Finding/Observation
Medium		
Ref.	Question	Policy Principles
ZAAR2	Potential Consequences of Fire Slight harm: Outbreak of fire unlikely to result in serious injury or death of any occupant. Moderate harmful: Outbreak of fire could foreseeably result in injury (including serious injury) of one or more occupants, but it is unlikely to involve multiple fatalities. Extreme harm: Significant potential for serious injury or death of one or more occupants likely to involve multiple fatalities	
Answer		Finding/Observation
Moderat	e Harm	
Ref.	Question	Policy Principles
ZAAR3	Premises Risk Rating Trivial: No action is required and no detailed records need be kept Tolerable: No major additional controls required. However, there might be a need for improvements that involve minor or limited cost. Moderate: It is essential that efforts are made to reduce the risk. Risk reduction measures should be implemented within a defined time period. Where moderate risk is associated with consequences that constitute extreme harm, further	
	assessment might be required to establish more precisely the likelihood of harm as a basis for determining the priority for improved control measures. Substantial: Considerable resources might have to be allocated to reduce the risk. If the building is unoccupied, it should not be occupied until the risk has been reduced. If the building is occupied, urgent action should be taken. Intolerable: Building (or relevant area) should not be occupied until the risk is reduced	
Answer	precisely the likelihood of harm as a basis for determining the priority for improved control measures. Substantial: Considerable resources might have to be allocated to reduce the risk. If the building is unoccupied, it should not be occupied until the risk has been reduced. If the building is occupied, urgent action should be taken. Intolerable: Building (or relevant area) should not be occupied until the risk is reduced	Finding/Observation

Ref.	Question	Policy Principles
ZAAR4	On satisfactory completion of all remedial works the risk rating of this building may be reduced to:	
Answer		Finding/Observation
Tolerable		

Risk Rating



The following simple risk level estimator is based on a more general health and safety risk level estimator of the type contained in BS 8800:

	Potential consequences of fire						
Likelihood of fire	Slight Harm Moderate Harm		Extreme Harm				
Low	Trivial	Tolerable	Moderate				
Medium	Tolerable	Moderate	Substantial				
High	Moderate	Substantial	Intolerable				
Taking into account the fire prevention measures observed at the time of this risk assessment, it is Medium Considered that the hazard from fire (likelihood of fire) at these premises is:							
this context, a definition of the above terms is a	s follows:						
ow: Unusually low likelihood of fire as a result of	population potential sources of ign	ition					
Medium: Normal fire hazards (e.g. potential ignition sources) for this type of occupancy, with fire hazards generally subject to							
	appropriate controls (other than minor shortcomings).						
		noy, marino nazarao gonorany oo					
appropriate controls (other than minor shortcoming	gs).						
appropriate controls (other than minor shortcomine High: Lack of adequate controls applied to one or	gs).						
	gs).						
appropriate controls (other than minor shortcomine High: Lack of adequate controls applied to one or	gs). more significant fire hazards, suc	h as to result in significant increas					
appropriate controls (other than minor shortcoming ligh: Lack of adequate controls applied to one or of fire. Taking into account the nature of the building and procedural arrangements observed at the time of	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons	h as to result in significant increas					
appropriate controls (other than minor shortcomine ligh: Lack of adequate controls applied to one or of fire. Faking into account the nature of the building and procedural arrangements observed at the time of consequences for life safety in the event of fire wo	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons puld be:	h as to result in significant increas	e in likelihood				
Appropriate controls (other than minor shortcomine figh: Lack of adequate controls applied to one or of fire. Faking into account the nature of the building and procedural arrangements observed at the time of consequences for life safety in the event of fire wo	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons puld be:	h as to result in significant increas	e in likelihood				
appropriate controls (other than minor shortcoming digh: Lack of adequate controls applied to one or of fire. Faking into account the nature of the building and procedural arrangements observed at the time of consequences for life safety in the event of fire wo in this context, a definition of the above terms is a	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows:	h as to result in significant increas ection and idered that the	e in likelihood				
appropriate controls (other than minor shortcoming digh: Lack of adequate controls applied to one or of fire. Taking into account the nature of the building and procedural arrangements observed at the time of consequences for life safety in the event of fire word in this context, a definition of the above terms is a	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows:	h as to result in significant increas ection and idered that the	e in likelihood				
appropriate controls (other than minor shortcomine ligh: Lack of adequate controls applied to one or of fire. Taking into account the nature of the building and procedural arrangements observed at the time of tronsequences for life safety in the event of fire wo in this context, a definition of the above terms is a Slight harm: Outbreak of fire unlikely to result in s	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows: eerious injury or death of any occu	h as to result in significant increas ection and idered that the	e in likelihood Moderate Harm				
In this context, a definition of the above terms is a Slight harm : Outbreak of fire unlikely to result in s Moderate harmful: Outbreak of fire could foresee	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows: eerious injury or death of any occu	h as to result in significant increas ection and idered that the	e in likelihood Moderate Harm				
Augmentation in the second sec	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows: erious injury or death of any occu ably result in injury (including serio	h as to result in significant increas ection and idered that the pant.	e in likelihood Moderate Harm nts, but it is				
ppropriate controls (other than minor shortcoming ligh: Lack of adequate controls applied to one or f fire. aking into account the nature of the building and rocedural arrangements observed at the time of onsequences for life safety in the event of fire wo in this context, a definition of the above terms is a slight harm: Outbreak of fire unlikely to result in s loderate harmful: Outbreak of fire could foresees nlikely to involve multiple fatali-ties.	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows: erious injury or death of any occu ably result in injury (including serio	h as to result in significant increas ection and idered that the pant.	e in likelihood Moderate Harm nts, but it is				
ppropriate controls (other than minor shortcoming ligh: Lack of adequate controls applied to one or f fire. aking into account the nature of the building and rocedural arrangements observed at the time of onsequences for life safety in the event of fire wo in this context, a definition of the above terms is a slight harm: Outbreak of fire unlikely to result in s foderate harmful: Outbreak of fire could foresee	gs). more significant fire hazards, suc occupants, as well as the fire prot this fire risk assessment, it is cons build be: s follows: erious injury or death of any occu ably result in injury (including serio	h as to result in significant increas ection and idered that the pant.	e in likelihood Moderate Harm nts, but it is				

A suitable risk-based control plan should involve effort and urgency that is proportional to risk. The following risk-based control plan is based on one advocated by BS 8800 for general health and safety risks:

Risk Level	Action and time table
Trivial	No action is required and no detailed records need be kept.
Tolerable	No major additional controls required. However, there might be a need for improvements that involve minor or limited cost.
Moderate	It is essential that efforts are made to reduce the risk. Risk reduction measures should be implemented within a defined time pe-riod. Where moderate risk is associated with consequences that constitute extreme harm, further assessment might be required to establish more precisely the likelihood of harm as a basis for determining the priority for improved control measures.
Substantial	Considerable resources might have to be allocated to reduce the risk. If the building is unoccupied, it should not be occupied until the risk has been reduced. If the building is occupied, urgent action should be taken.
Intolerable	Building (or relevant area) should not be occupied until the risk is reduced.

(Note that, although the purpose of this section is to place the risk in context, the above approach to fire risk assessment is subjective and for guidance only. All hazards and deficiencies identified in this report should be addressed by implementing all recommendations contained in the following action plan. The fire risk assessment should be reviewed regularly.)





Life Safety Fire Risk Assessment Certificate of Conformity

This certificate is issued by the organization named in Part 1 of the schedule in respect of fire risk assessment provided for the person(s) or organization named in Part 2 of the schedule at the premises and / or part of the premises identified in Part 3 of the schedule.

Schedule:

Part 1a	Name & Address of Certified Organisation:
	Pennington Choices, Broofield House, Grimsditch Lane, WA4 4EA
Part 1b	BAFE registration number of issuing Certified Organization:
	102119
Part 1c	SSAIB 3rd Party Certificate Number:
	CHES077
Part 2	Name of Client:
	CEO Futures
Part 3a	Address of premises for which the fire risk assessment was carried out:
	Andrews Drive Langley Mill Langley Mill NG16 4GG
Part 3b	Part or parts of the premises to which the fire risk assessment applies:
	Common Parts only (not dwellings, where applicable)
Part 4	Brief description of the scope and purpose of the fire risk assessment:
	Life Safety (as per agreed Specification)
Part 5	Effective date of the fire risk assessment:
	08/08/2022
Part 6	Recommended date for reassessment of the premises:
	08/08/2023
Part 7	Unique reference number of this certificate:
	109729

Signed for and on behalf of the issuing Certificated Organization:

James Hutton

Dated: 8/25/2022

Appendix 1. Action Details

Ref.	Category	Priority	Comments	Recommendation	Quantity	To Be Completed By Photo Ref.
C1	ARSON	High	The entrance door was faulty and not secure or working at the time of the site visit, although it does include provision of a thumb turn to release button	The door requires attention to ensure it provides adequate security and works as it should		24/09/2022
F1	LIGHTNING	No Timescale	No lightning protection system was seen on site.	Recommend management undertake a risk assessment of the building to determine if lightning protection is required		
G2	HOUSE-KEEPING	High	All common area escape routes including the stairs were clear of items other than items stored in the gas boiler room	Management to ensure combustible items noted are removed from the common area/means of escape and the area kept clear		24/09/2022 G21, G22
H1	HAZARDS INTRODUCED BY CONTRACTORS	Medium	Evidence was not available to confirm there is satisfactory control over works carried out in the building by contractors (e.g. hot work permits).	A documented procedure is recommended for ensuring all contractors are controlled on site and only operate within approved industry standards. This should include a permit to work and a hot work permit procedure where appropriate. All contractors should be advised of the emergency procedures and hazardous areas.		23/11/2022
M1	COMMON AREA FIRE DOORS	High	The only common area doors are the doors each side at the head of the stairs which are not compliant with only 2 hinges, and house gas boilers or meters and are used for storage by the residents	As discussed on site the doors noted should be replaced with doors compliant with FD30S. ensure all work is carried out by a third party accredited company.		24/09/2022 M11
01	FIRE SAFETY SIGNS & NOTICES	Medium	Signage was considered adequate and included, fire door keep locked shut, no smoking and fire action notices although the fire action notices are not clear and require revising. see B1	The fire action notices should be revised taking into account the provision of an alarm system in the common area and an evacuation strategy of initial stay put		23/11/2022 O11

Ref.	Category	Priority	Comments	Recommendation	Quantity	To Be Completed By Photo Ref.
P1	MEANS OF GIVING WARNING IN CASE OF FIRE	Medium	The building is fitted with a domestic hard wired multi sensor detector in the common areas at the head of the stairs. In 'general needs' blocks designed to support a 'stay put' policy, it is unnecessary and undesirable for a fire alarm system to be provided. A communal fire detection and alarm system will inevitably lead to a proliferation of false alarms. This will impose a burden on fire and rescue services and lead to residents ignoring warnings of genuine fires.	Management to confirm the rationale of the presence of AFD within the common parts with a view to remove if not required or considered necessary.		23/11/2022 P11
P7	MEANS OF GIVING WARNING IN CASE OF FIRE	Medium	No flats were accessed	A category LD3 system should be considered the minimum in all circumstances". However, BS 5839-6:2019 states that "heat detectors should be installed in every kitchen. A smoke detector should be installed in the principal habitable room. Where more than one room might be used as the principal habitable room, a smoke detector should be installed in each of these rooms". It is recommended that each flat is checked to confirm that BS5839-6:2019 Grade D, LD2 detection is fitted.		23/11/2022
Q4	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT	High	No access to the roof space is provided .	Management to check compartmentation within the roof space over the common area		24/09/2022
Q5	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT	Medium	The electric meter box at the main entrance is damaged	The meter box should be repaired		23/11/2022 Q51
Q6	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT	Medium	No evidence is kept for inspection on site.	Management should confirm that where and if required fire dampers are provided as required		23/11/2022
T1	PROCEDURES AND ARRANGEMENTS	Medium	As per P1.	Management to investigate the rationale of detection within the common area.		23/11/2022
Т6	PROCEDURES AND ARRANGEMENTS	No Timescale	Unable to confirm at the time of the assessment although the flats are located on the first floor	Person Centered Fire Risk Assessments should be carried out on all tenants in general needs property, when required, and should be reviewed on an annual basis.		
Y1	ENGAGEMENT WITH RESIDENTS	Low	Unknown.	Ensure residents are informed of all relevant fire safety matters using different formats including letters, posters, social media etc		21/02/2023